

L 30206-66

ACC NR: AP6020320

latter cannot be examined on account of dark spots in the lens and vitreous body. The electroretinogram is in this manner of both diagnostic and prognostic significance. This paper was presented by Corresponding Member BAN D. Hatoov on 2 February 1965. Orig. art. has: 1 table. [Orig. art. in Eng.] [JPPS]

SUB CODE: 06 / SUM DATE: 02Feb65 / OTH REF: 002 / SOV REF: 001

Card 2/2

PUKHNAREVICH, G.F., kand. tekhn. nauk; PARKHOMENKO, P.A.; BOTVINSKIY, V.Ya.;
GAVRO, L.F.; VORONOV, Yu.F.

Behavior of hydrogen during the melting operation in 600-
ton open-hearth furnaces. Met. i gornorud. prom. no.1:
28-30 Ja-F '65. (MIRA 18;3)

L 29256-66 EWT(m)/EWP(t)/ETI IJP(c) JD/JG/JT

ACC NR: AP6019311

SOURCE CODE: UR/0286/65/000/018/0031/0032

INVENTOR: Kazachkov, I. P.; Dekhanov, N. M.; Gavro, L. P.; Semen'kov, V. I.;
Kiselev, Yu. Yu.

3/
B

ORG: none

TITLE: Alloy for alloying steel. Class 18, No. 174649

SOURCE: Byulleten' izobreteniy i tovarnykh znakov, no. 18, 1965, 31-32

TOPIC TAGS: chromium containing alloy, alloy steel, manganese containing alloy,
ferroalloy

ABSTRACT: ²¹In order to shorten the alloying period and reduce loss of elements
the following alloy and its constituents is proposed: 34-36 Cr, 23-31 Mn, 10-12 Si,
0.8-12 C, balance--iron. [JPRS] ₂₇ ₂₇

SUB CODE: 11 / SUBM DATE: none

Card 1/1 CC

UDC: 669.15'26'74'782

BRUDA, P., conf.; BERARIU, T., dr.; GRUN, I., dr.; GOSEA, C., dr.; Chimisti:
HOINARESCU, E.; CHIOREAN, V.; GAVRUS, A.

Contribution to the study of disorders of metabolism in urinary
lithiasis. II. Med. intern., Bucur 13 no.1:71-85 Ja '61.

1. Lucrare efectuata in Clinica de urologie din Cluj in colaborare
cu Catedrele de biochimie, anatomie patologica, Bacteriologie si
fizica medicala.

(URINARY CALCULI metabolism) (CALCIUM metabolism)
PHOSPHORUS metabolism) (MAGNESIUM metabolism)
(PROTEINS metabolism)

CAVRUSEVA, Antonina Ivanovna; KONSTANTINOV, Ivan Yur'yevich; SARANTSEV,
Yu.S., red.; VOROB'YEVA, L.V., tekhn. red.

[New types of tank cars]Novye tsisterny. Moskva, Transzheldor-
izdat, 1962. 32 p. (MIRA 16:1)
(Tank cars)

^Y
GAVRIELOV, M. Ya.

"Economic and Geographic Characteristics of the Samarkand Oblast." Cand Geog Sci,
Azerbaydzhani State U imeni S. M. Kirov, 1 Mar 54. Dissertation (Bakinskiy Rabochiy
Baku, 19 Feb 54)

SO: SUM 186, 19 Aug 1954

GAVRONSKIY, A.

ZHERMUNDSKIY, A.; GAVRONSKIY, A., inzhener.

Energy from subterranean depths. Tekh.mol. 22 no.10:8-10 0 '54.
(MLRA 7:11)

1. Chlen-korrespondent Akademii nauk BSSR (for Zhermundskiy)
(Geysers)

GAVRONSKIY, A. I. Engineer

"Energy of the Depths to Serve Mankind," Komsomolskaya Pravda, page 3,
Nov 16, 1955

Member of the Moscow Province Power Engineers' Scientific and Technical Society.

Condensed text in English - Current Digest of the Soviet Press, Vol.7, No.45,
page 27, 21 Dec 55

SAVKORSKI, S.

The method of traversing.

p. 27 (Budownictwo Przemyslowe) Vol. 4, No. 12, Dec. 1955, Warszawa, Poland

SG: MONTHLY INDEX OF EAST EUROPEAN ACCESSIONS (EEAI) LC, VOL. 1, NO. 1, JAN. 1958

GAVRONSKIY, A.A.

Power utilization of water, steam, and gases of hot springs (author's
summary). *Bul.MOIP. Otd.geol.* 28 no.4:99-100 '53. (MLRA 6:9)
(Springs) (Power engineering)

25700.6 P

PROCESSES AND PROPERTIES INDEX

Technology of chromium plating piston rings for aviation engines. L. A. Petlin and G. P. Gavrov. *Automobil. Prom.* 1947, No. 8, 14-17 (in Russian).—(Oil-retaining porous Cr plate is produced by applying a reverse current to the deposit produced under normal conditions; the anodization results in superficial formation of a network of cracks and pores. Cast-iron rings are etched with 3% HF for 1-2 min. or 10% HCl for 30 sec.; Cr is deposited from the usual bath at 50-2°, initial c.d. 70-75 amp./sq. dm., steady c.d. 60-80, for 3-4 hrs.; reverse electrolysis is with c.d. 4) amp./sq. dm. for 8-15 min. There is advantage in carrying out the anodization in a sep. (identical) bath; this permits avoiding contamination of the deposition bath by Fe particles loosened in the course of the anodization; also, it permits operating the deposition at a higher temp. and c.d. for a shorter time. The resulting deposit consists of 2 layers, the inner, continuous one 0.03-0.10 mm. thick, the outer, porous one 5-8 times less than that of cast iron. N. Thon

ASACSLA METALLURGICAL LITERATURE CLASSIFICATION

1304 1305 1306 1307 1308 1309 1310 1311 1312 1313 1314 1315 1316 1317 1318 1319 1320 1321 1322 1323 1324 1325 1326 1327 1328 1329 1330 1331 1332 1333 1334 1335 1336 1337 1338 1339 1340 1341 1342 1343 1344 1345 1346 1347 1348 1349 1350 1351 1352 1353 1354 1355 1356 1357 1358 1359 1360 1361 1362 1363 1364 1365 1366 1367 1368 1369 1370 1371 1372 1373 1374 1375 1376 1377 1378 1379 1380 1381 1382 1383 1384 1385 1386 1387 1388 1389 1390 1391 1392 1393 1394 1395 1396 1397 1398 1399 1400 1401 1402 1403 1404 1405 1406 1407 1408 1409 1410 1411 1412 1413 1414 1415 1416 1417 1418 1419 1420 1421 1422 1423 1424 1425 1426 1427 1428 1429 1430 1431 1432 1433 1434 1435 1436 1437 1438 1439 1440 1441 1442 1443 1444 1445 1446 1447 1448 1449 1450 1451 1452 1453 1454 1455 1456 1457 1458 1459 1460 1461 1462 1463 1464 1465 1466 1467 1468 1469 1470 1471 1472 1473 1474 1475 1476 1477 1478 1479 1480 1481 1482 1483 1484 1485 1486 1487 1488 1489 1490 1491 1492 1493 1494 1495 1496 1497 1498 1499 1500 1501 1502 1503 1504 1505 1506 1507 1508 1509 1510 1511 1512 1513 1514 1515 1516 1517 1518 1519 1520 1521 1522 1523 1524 1525 1526 1527 1528 1529 1530 1531 1532 1533 1534 1535 1536 1537 1538 1539 1540 1541 1542 1543 1544 1545 1546 1547 1548 1549 1550 1551 1552 1553 1554 1555 1556 1557 1558 1559 1560 1561 1562 1563 1564 1565 1566 1567 1568 1569 1570 1571 1572 1573 1574 1575 1576 1577 1578 1579 1580 1581 1582 1583 1584 1585 1586 1587 1588 1589 1590 1591 1592 1593 1594 1595 1596 1597 1598 1599 1600 1601 1602 1603 1604 1605 1606 1607 1608 1609 1610 1611 1612 1613 1614 1615 1616 1617 1618 1619 1620 1621 1622 1623 1624 1625 1626 1627 1628 1629 1630 1631 1632 1633 1634 1635 1636 1637 1638 1639 1640 1641 1642 1643 1644 1645 1646 1647 1648 1649 1650 1651 1652 1653 1654 1655 1656 1657 1658 1659 1660 1661 1662 1663 1664 1665 1666 1667 1668 1669 1670 1671 1672 1673 1674 1675 1676 1677 1678 1679 1680 1681 1682 1683 1684 1685 1686 1687 1688 1689 1690 1691 1692 1693 1694 1695 1696 1697 1698 1699 1700 1701 1702 1703 1704 1705 1706 1707 1708 1709 1710 1711 1712 1713 1714 1715 1716 1717 1718 1719 1720 1721 1722 1723 1724 1725 1726 1727 1728 1729 1730 1731 1732 1733 1734 1735 1736 1737 1738 1739 1740 1741 1742 1743 1744 1745 1746 1747 1748 1749 1750 1751 1752 1753 1754 1755 1756 1757 1758 1759 1760 1761 1762 1763 1764 1765 1766 1767 1768 1769 1770 1771 1772 1773 1774 1775 1776 1777 1778 1779 1780 1781 1782 1783 1784 1785 1786 1787 1788 1789 1790 1791 1792 1793 1794 1795 1796 1797 1798 1799 1800 1801 1802 1803 1804 1805 1806 1807 1808 1809 1810 1811 1812 1813 1814 1815 1816 1817 1818 1819 1820 1821 1822 1823 1824 1825 1826 1827 1828 1829 1830 1831 1832 1833 1834 1835 1836 1837 1838 1839 1840 1841 1842 1843 1844 1845 1846 1847 1848 1849 1850 1851 1852 1853 1854 1855 1856 1857 1858 1859 1860 1861 1862 1863 1864 1865 1866 1867 1868 1869 1870 1871 1872 1873 1874 1875 1876 1877 1878 1879 1880 1881 1882 1883 1884 1885 1886 1887 1888 1889 1890 1891 1892 1893 1894 1895 1896 1897 1898 1899 1900 1901 1902 1903 1904 1905 1906 1907 1908 1909 1910 1911 1912 1913 1914 1915 1916 1917 1918 1919 1920 1921 1922 1923 1924 1925 1926 1927 1928 1929 1930 1931 1932 1933 1934 1935 1936 1937 1938 1939 1940 1941 1942 1943 1944 1945 1946 1947 1948 1949 1950 1951 1952 1953 1954 1955 1956 1957 1958 1959 1960 1961 1962 1963 1964 1965 1966 1967 1968 1969 1970 1971 1972 1973 1974 1975 1976 1977 1978 1979 1980 1981 1982 1983 1984 1985 1986 1987 1988 1989 1990 1991 1992 1993 1994 1995 1996 1997 1998 1999 2000 2001 2002 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025 2026 2027 2028 2029 2030 2031 2032 2033 2034 2035 2036 2037 2038 2039 2040 2041 2042 2043 2044 2045 2046 2047 2048 2049 2050 2051 2052 2053 2054 2055 2056 2057 2058 2059 2060 2061 2062 2063 2064 2065 2066 2067 2068 2069 2070 2071 2072 2073 2074 2075 2076 2077 2078 2079 2080 2081 2082 2083 2084 2085 2086 2087 2088 2089 2090 2091 2092 2093 2094 2095 2096 2097 2098 2099 2100 2101 2102 2103 2104 2105 2106 2107 2108 2109 2110 2111 2112 2113 2114 2115 2116 2117 2118 2119 2120 2121 2122 2123 2124 2125 2126 2127 2128 2129 2130 2131 2132 2133 2134 2135 2136 2137 2138 2139 2140 2141 2142 2143 2144 2145 2146 2147 2148 2149 2150 2151 2152 2153 2154 2155 2156 2157 2158 2159 2160 2161 2162 2163 2164 2165 2166 2167 2168 2169 2170 2171 2172 2173 2174 2175 2176 2177 2178 2179 2180 2181 2182 2183 2184 2185 2186 2187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198 2199 2200 2201 2202 2203 2204 2205 2206 2207 2208 2209 2210 2211 2212 2213 2214 2215 2216 2217 2218 2219 2220 2221 2222 2223 2224 2225 2226 2227 2228 2229 2230 2231 2232 2233 2234 2235 2236 2237 2238 2239 2240 2241 2242 2243 2244 2245 2246 2247 2248 2249 2250 2251 2252 2253 2254 2255 2256 2257 2258 2259 2260 2261 2262 2263 2264 2265 2266 2267 2268 2269 2270 2271 2272 2273 2274 2275 2276 2277 2278 2279 2280 2281 2282 2283 2284 2285 2286 2287 2288 2289 2290 2291 2292 2293 2294 2295 2296 2297 2298 2299 2300 2301 2302 2303 2304 2305 2306 2307 2308 2309 2310 2311 2312 2313 2314 2315 2316 2317 2318 2319 2320 2321 2322 2323 2324 2325 2326 2327 2328 2329 2330 2331 2332 2333 2334 2335 2336 2337 2338 2339 2340 2341 2342 2343 2344 2345 2346 2347 2348 2349 2350 2351 2352 2353 2354 2355 2356 2357 2358 2359 2360 2361 2362 2363 2364 2365 2366 2367 2368 2369 2370 2371 2372 2373 2374 2375 2376 2377 2378 2379 2380 2381 2382 2383 2384 2385 2386 2387 2388 2389 2390 2391 2392 2393 2394 2395 2396 2397 2398 2399 2400 2401 2402 2403 2404 2405 2406 2407 2408 2409 2410 2411 2412 2413 2414 2415 2416 2417 2418 2419 2420 2421 2422 2423 2424 2425 2426 2427 2428 2429 2430 2431 2432 2433 2434 2435 2436 2437 2438 2439 2440 2441 2442 2443 2444 2445 2446 2447 2448 2449 2450 2451 2452 2453 2454 2455 2456 2457 2458 2459 2460 2461 2462 2463 2464 2465 2466 2467 2468 2469 2470 2471 2472 2473 2474 2475 2476 2477 2478 2479 2480 2481 2482 2483 2484 2485 2486 2487 2488 2489 2490 2491 2492 2493 2494 2495 2496 2497 2498 2499 2500 2501 2502 2503 2504 2505 2506 2507 2508 2509 2510 2511 2512 2513 2514 2515 2516 2517 2518 2519 2520 2521 2522 2523 2524 2525 2526 2527 2528 2529 2530 2531 2532 2533 2534 2535 2536 2537 2538 2539 2540 2541 2542 2543 2544 2545 2546 2547 2548 2549 2550 2551 2552 2553 2554 2555 2556 2557 2558 2559 2560 2561 2562 2563 2564 2565 2566 2567 2568 2569 2570 2571 2572 2573 2574 2575 2576 2577 2578 2579 2580 2581 2582 2583 2584 2585 2586 2587 2588 2589 2590 2591 2592 2593 2594 2595 2596 2597 2598 2599 2600 2601 2602 2603 2604 2605 2606 2607 2608 2609 2610 2611 2612 2613 2614 2615 2616 2617 2618 2619 2620 2621 2622 2623 2624 2625 2626 2627 2628 2629 2630 2631 2632 2633 2634 2635 2636 2637 2638 2639 2640 2641 2642 2643 2644 2645 2646 2647 2648 2649 2650 2651 2652 2653 2654 2655 2656 2657 2658 2659 2660 2661 2662 2663 2664 2665 2666 2667 2668 2669 2670 2671 2672 2673 2674 2675 2676 2677 2678 2679 2680 2681 2682 2683 2684 2685 2686 2687 2688 2689 2690 2691 2692 2693 2694 2695 2696 2697 2698 2699 2700 2701 2702 2703 2704 2705 2706 2707 2708 2709 2710 2711 2712 2713 2714 2715 2716 2717 2718 2719 2720 2721 2722 2723 2724 2725 2726 2727 2728 2729 2730 2731 2732 2733 2734 2735 2736 2737 2738 2739 2740 2741 2742 2743 2744 2745 2746 2747 2748 2749 2750 2751 2752 2753 2754 2755 2756 2757 2758 2759 2760 2761 2762 2763 2764 2765 2766 2767 2768 2769 2770 2771 2772 2773 2774 2775 2776 2777 2778 2779 2780 2781 2782 2783 2784 2785 2786 2787 2788 2789 2790 2791 2792 2793 2794 2795 2796 2797 2798 2799 2800 2801 2802 2803 2804 2805 2806 2807 2808 2809 2810 2811 2812 2813 2814 2815 2816 2817 2818 2819 2820 2821 2822 2823 2824 2825 2826 2827 2828 2829 2830 2831 2832 2833 2834 2835 2836 2837 2838 2839 2840 2841 2842 2843 2844 2845 2846 2847 2848 2849 2850 2851 2852 2853 2854 2855 2856 2857 2858 2859 2860 2861 2862 2863 2864 2865 2866 2867 2868 2869 2870 2871 2872 2873 2874 2875 2876 2877 2878 2879 2880 2881 2882 2883 2884 2885 2886 2887 2888 2889 2890 2891 2892 2893 2894 2895 2896 2897 2898 2899 2900 2901 2902 2903 2904 2905 2906 2907 2908 2909 2910 2911 2912 2913 2914 2915 2916 2917 2918 2919 2920 2921 2922 2923 2924 2925 2926 2927 2928 2929 2930 2931 2932 2933 2934 2935 2936 2937 2938 2939 2940 2941 2942 2943 2944 2945 2946 2947 2948 2949 2950 2951 2952 2953 2954 2955 2956 2957 2958 2959 2960 2961 2962 2963 2964 2965 2966 2967 2968 2969 2970 2971 2972 2973 2974 2975 2976 2977 2978 2979 2980 2981 2982 2983 2984 2985 2986 2987 2988 2989 2990 2991 2992 2993 2994 2995 2996 2997 2998 2999 3000 3001 3002 3003 3004 3005 3006 3007 3008 3009 3010 3011 3012 3013 3014 3015 3016 3017 3018 3019 3020 3021 3022 3023 3024 3025 3026 3027 3028 3029 3030 3031 3032 3033 3034 3035 3036 3037 3038 3039 3040 3041 3042 3043 3044 3045 3046 3047 3048 3049 3050 3051 3052 3053 3054 3055 3056 3057 3058 3059 3060 3061 3062 3063 3064 3065 3066 3067 3068 3069 3070 3071 3072 3073 3074 3075 3076 3077 3078 3079 3080 3081 3082 3083 3084 3085 3086 3087 3088 3089 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3108 3109 3110 3111 3112 3113 3114 3115 3116 3117 3118 3119 3120 3121 3122 3123 3124 3125 3126 3127 3128 3129 3130 3131 3132 3133 3134 3135 3136 3137 3138 3139 3140 3141 3142 3143 3144 3145 3146 3147 3148 3149 3150 3151 3152 3153 3154 3155 3156 3157 3158 3159 3160 3161 3162 3163 3164 3165 3166 3167 3168 3169 3170 3171 3172 3173 3174 3175 3176 3177 3178 3179 3180 3181 3182 3183 3184 3185 3186 3187 3188 3189 3190 3191 3192 3193 3194 3195 3196 3197 3198 3199 3200 3201 3202 3203 3204 3205 3206 3207 3208 3209 3210 3211 3212 3213 3214 3215 3216 3217 3218 3219 3220 3221 3222 3223 3224 3225 3226 3227 3228 3229 3230 3231 3232 3233 3234 3235 3236 3237 3238 3239 3240 3241 3242 3243 3244 3245 3246 3247 3248 3249 3250 3251 3252 3253 3254 3255 3256 3257 3258 3259 3260 3261 3262 3263 3264 3265 3266 3267 3268 3269 3270 3271 3272 3273 3274 3275 3276 3277 3278 3279 3280 3281 3282 3283 3284 3285 3286 3287 3288 3289 3290 3291 3292 3293 3294 3295 3296 3297 3298 3299 3300 3301 3302 3303 3304 3305 3306 3307 3308 3309 3310 3311 3312 3313 3314 3315 3316 3317 3318 3319 3320 3321 3322 3323 3324 3325 3326 3327 3328 3329 3330 3331 3332 3333 3334 3335 3336 3337 3338 3339 3340 3341 3342 3343 3344 3345 3346 3347 3348 3349 3350 3351 3352 3353 3354 3355 3356 3357 3358 3359 3360 3361 3362 3363 3364 3365 3366 3367 3368 3369 3370 3371 3372 3373 3374 3375 3376 3377 3378 3379 3380 3381 3382 3383 3384 3385 3386 3387 3388 3389 3390 3391 3392 3393 3394 3395 3396 3397 3398 3399 3400 3401 3402 3403 3404 3405 3406 3407 3408 3409 3410 3411 3412 3413 3414 3415 3416 3417 3418 3419 3420 3421 3422 3423 3424 3425 3426 3427 3428 3429 3430 3431 3432 3433 3434 3435 3436 3437 3438 3439 3440 3441 3442 3443 3444 3445 3446 3447 3448 3449 3450 3451 3452 3453 3454 3455 3456 3457 3458 3459 3460 3461 3462 3463 3464 3465 3466 3467 3468 3469 3470 3471 3472 3473 3474 3475 3476 3477 3478 3479 3480 3481 3482 3483 3484 3485 3486 3487 3488 3489 3490 3491 3492 3493 3494 3495 3496 3497 3498 3499 3500 3501 3502 3503 3504 3505 3506 3507 3508 3509 3510 3511 3512 3513 3514 3515 3516 3517 3518 3519 3520 3521 3522 3523 3524 3525 3526 3527 3528 3529 3530 3531 3532 3533 3534 3535 3536 3537 3538 3539 3540 3541 3542 3543 3544 3545 3546 3547 3548 3549 3550 3551 3552 3553 3554 3555 3556 3557 3558 3559 3560 3561 3562 3563 3564 3565 3566 3567 3568 3569 3570 3571 3572 3573 3574 3575 3576 3577 3578 3579 3580 3581 3582 3583 3584 3585 3586 3587 3588 3589 3590 3591 3592 3593 3594 3595 3596 3597 3598 3599 3600 3601 3602 3603 3604 3605 3606 3607 3608 3609 3610 3611 3612 3613 3614 3615 3616 3617 3618 3619 3620 3621 3622 3623 3624 3625 3626 3627 3628 3629 3630 3631 3632 3633 3634 3635 3636 3637 3638 3639 3640 3641 3642 3643 3644 3645 3646 3647 3648 3649 3650 3651 3652 3653 3654 3655 3656 3657 3658 3659 3660 3661 3662 3663 3664 3665 3666 3667 3668 3669 3670 3671 3672 3673 3674 3675 3676 3677 3678 3

SAVILIN, V. YE.

SAVILIN, V. YE. -- "ALKYLATION OF ISOBUTANE BY BUTENE POLYMERIZATION PRODUCT,"
JUN 3 APR 52, CENTRAL INST OF AVIATION FUELS AND OILS (TBIATIM) (DISSERTATION
FOR THE DEGREE OF CANDIDATE IN TECHNICAL SCIENCES)

SO: VECHERNAYA MOSKVA, JANUARY-DECEMBER 1952

L 16199-63 ~~EPR/EWP(j)/EPF(c)/EWT(m)/BDS/ES(s)-2--AFFTC/ASD/SSD--~~
~~Ps-4/Pc-4/Pr-4/Pt-4--RM/WW/MAY~~

ACCESSION NR: AP3006534

S/0191/63/000/009/0017/0019

AUTHOR: Medvedeva, P. A.; Ry*bkina, O. Ya.; Duntova, L. K.
Gavrilova, G. A.; Gavurina, R. K. 88
82

TITLE: Self-extinguishing glass-reinforced plastics based on
epoxy polyester resins 6

SOURCE: Plasticheskiy massy*, no. 9, 1963, 17-19

TOPIC TAGS: glass fabric reinforced plastic, binder unsaturated polyester, unsaturated polyester resin, TKhF, ChF, AF, styrenated polyester, epoxy resin, ED-5, ED-6, self-extinguishing, chlorine-containing polyester, chlorine-containing curing agent, reinforcement, satin weave glass fabric, glass fabric, ASTT(b)S₂-5/3', ASTT(b)S₂-8/3, organosilicon finish, GVS-9 finish, coupling agent, glass fabric lay-up, antimony oxide, mechanical strength, bending strength, thermal stability, moisture effect, temperature effect, moisture, temperature

Cord 1/3 2

L 16199-63

ACCESSION NR: AP3006534

ABSTRACT: Self-extinguishing glass-fabric-reinforced plastics have been prepared with mixtures of epoxy and unsaturated polyester resins as binders. Self-extinguishing properties were imparted by introducing chlorine into the polyester [method unspecified] or by using a chlorine-containing curing agent [unspecified]. Styrenated TKhF, CH_2F , or AF polyesters and ED-5 or ED-6 epoxy resins, mixed in various ratios (generally 2 parts polyester to 1 part ED-5), were used as binders; satin-weave fabrics $\text{ASTT(b)S}_2-5/3$, $\text{ASTT(b)S}_2-8/3$, or $\text{ASTT(b)S}_2-8/3$ finished with the GVS-9 organosilicon coupling agent, served as reinforcements. The glass-fabric sheets were laid up at right angles to each other to impart multidirectional strength to the plastic. 3.5—4.5% Sb_2O_3 was added to the binder. The results of a study of the properties of the plastics, given in the form of tables, show that glass-fabric-reinforced plastics thus prepared are self-extinguishing. They exhibit high mechanical strength (binding strength $\sigma_B = 3800-4400 \text{ kg/cm}^2$) and high thermal stability. The strength of these plastics (especially of those reinforced with $\text{ASTT(b)S}_2-8/3$ GVS-9) drops only slightly under the effect of moisture ($\sigma_B = 3280-4200 \text{ kg/cm}^2$) and temperatures up to 60°C ($\sigma_B = 3200-4000 \text{ kg/cm}^2$). Orig. art. has: 5 tables.

Card 2/3

MOLOTKOV, P.I.; KAPLUNOVSKIY, P.S.; GAVRUSEVICH, A.N.; MOLOTKOVA, I.I.;
PASTERNAK, P.S.; CHUBATYY, O.V.; POLYANOVSKIY, A.A., otv. za
vypusk; PANCHENKO, V., red.; LUCHKIV, M., tekhn. red.

[Mountain forest types] Tipy gornyykh lesov. Uzhgorod, Zakarpat-
skoe obl. knizhno-gazetnoe izd-vo, 1961. 79 p. (MIRA 15:7)
(Transcarpathia--Forests and forestry)

GAVRUSEVICH, A. N., Cand Agr Sci -- (diss) "Types of forests in the L'vov oblast'." Khar'kov, 1960. 20 pp; (Ministry of Agriculture Ukrainian SSR, Khar'kov Order of Labor Red Banner Agricultural Inst im V. V. Dokuchayev); 200 copies; price not given; (KL, 22-60, 141)

CAVRUSEVICH, B. [Havrusevych, B.], kand.geol.-mineral.nauk

Planet opens its treasures. Nauka i zhyttia 11 no.1:39-
40 Ja '62. (MIRA 15:2)
(Mines and mineral resources)

C.A.

7


A new finding of palygorskite in Ukraine. N.A. GAVRILOVICH. *Complete and
acad. sci. U. R. S. S. 1964, No. 13, 337-40.*—A new discovery of palygorskite was
made at Zheshelev, Berdichev, Ukraine. It forms a crust 2-3 mm. thick. Its interest
lies in the fact that its mineralogical nature is more pronounced than that of any previous
find, that it establishes a definite paragenesis with kaolin, opal and Fe oxides, and that
through it a definite connection is established between palygorskite and granites rich in
plagioclases.
S. L. MADONARAY
Geological and petrological

ASIS-SLA METALLURGICAL LITERATURE CLASSIFICATION

The granite pegmatites along the Sach River (South Fergana). B. Gavruvskiy. Abh. Pomor. Ekspeditsiya 1921, Petrog. Mineral. Abad. Viss. Leningrad, 4, 101-31 (1922); Neues Jahrb. Mineral. Geol., Referate II, 1923, 134. Accompanying granite intrusions into a lime and schist series are numerous pegmatites. Some of the feldspar is a labradorite-bytownite due to assimilation of CaO from the limestone country rock. L. F. Schreiner

A30.314 METALLURGICAL LITERATURE CLASSIFICATION


PROCESSING AND PROPERTIES INDEX																									
1ST AND 2ND COPIES													1ST AND 2ND COPIES												
<p>The mineralogy of the granite pegmatite along the river Lailah. B. Gavrusevich. <i>Abh. Pamir Expedition 1930</i>, <i>Petrog. Mineral. Abh. Russ. Leningrad 4</i>, 131-43 (1932). <i>Neser Jahrb. Mineral. Geol., Kelenate II</i>, 1935, 131-4. et. C. A. 27, 1935.—A granite magma rich in B, Li, H₂O, Be, S, etc., intruded a series of schists and partly altered them at the contact. The pegmatites are characterized by feldspars, quartz, biotite, muscovite, lepidolite, gil- bertite, andalusite, tourmaline, pyrite, andalusite, dumor- terite and beryl (13.74% BeO). J. F. Schauer</p>																									
<p>ASB-32-A METALLURGICAL LITERATURE CLASSIFICATION</p>																									
<p>100000 000</p>																									



CA

THE POSITION OF THE PHOSFAPITE FROM SLEDJENKA IN TABLE OF GENETIC PHASE TYPES IN SIBERIA. N. Gavrusovich. *Trav. inst. Geomorph. Acad. Sci. U. R. S. S. S.* 104-113 (1955); *Novos Jahrb. Mineral. Geol.*, Referate 1, 1956, 70-71.—From a detailed chem. study of phosphapite G. concludes that the percentage of SiO_2 , Al_2O_3 , MgO and K_2O is essentially the same for all phosphapites, the quantity of FeO and Fe_2O_3 increases with falling temp. during the time of its formation. From spectral analysis the following elements were identified: Ga, Ni, Cr, V, Sr, Rb, Li and Cs. J. F. Schriber

330-320 METALLURGICAL LITERATURE CLASSIFICATION



Coloration of Ural corundums. B. A. Geyrasvitch. (Comp. rend. Acad. Sci. U.R.S.S., 1961, 21, 686-688).—Coloration depends on genesis. Corundums from the Vishnevo Gory and Kishtyn regions are greenish-grey and brown (pegmatites), greyish-blue and blue (dedicated pegmatites), and blue (emery deposits). The main colorants are Fe²⁺, Fe³⁺, Ti, Mn, and, to a smaller extent, Ni and V, and they seem to replace Al isomorphously. Light corundums, except greyish-blue, have high content of Ca and Mg. Cr is absent in most and, when present, occurs to only a very limited extent.

W. R. A.

A I - 11 Classification

Mr. Abs.

Change of colour and optical properties of beryls
on heating. G. A. Gavrusevitch and F. J. Sarapulov
(Dokl. Akad. Nauk SSSR, 1961, 31, 777-779).
Coloration, transparency, and vitreous lustre of beryls
increase suddenly as temp. is increased above 500°. n
and birefringence also decrease somewhat. A.J.A.

9

CD

Minerals of the cameralite-vishnevite group. B. A.
Gavrilovich. Nauk. Zapysky. Kyiv. Derzhavnyi Univ. im.
T. G. Shevchenko 7, No. 5, Geol. Zbirnyk No. 2, 5-6 (1975).
Compilation of data and analyses of minerals of this group
M. Horsch

GAVRUSEVICH B.A.
RODIONOV, S.P.; GAVRUSEVICH, B.A.; KLIMENKO, V.Ya.

In memory of I.B. Slensak. Nauk.sap.Kiev.un. 9 no.10:153-155
'50. (MLRA 9:10)

(Slensak, Igor' Evgen'evich, 1910-1950)

GAVERUSVICH, B.A.

In memory of Mikhail Kapitonovich Shmat'ko. Min.sbor.no.5:377-378
'51. (MLRA 9:12)

1. Gosuniversitet imeni T.G.Shevshenko, Kiyev.
(Shmat'ko, Mikhail Kapitonovich, 1875-1951)

GAVRUSEVICH, B.A.; RUDENKO, F.A., dotsent, otvetstvennyy redaktor

[Academician A.E.Fersman and his principal geochemical work]
Akademik A.E.Fersman i ego glavneishie ggeokhimicheskie raboty.
[Kiev] Izd-vo Kievskogo gos. univ., 1953. 83 p. (MLRA 9:8)
(Fersman, Aleksandr Evgen'evich, 1883-1945)

GAVRUSEVICH, B. A.

USSR/Cosmochemistry - Geochemistry. Hydrochemistry.

D.

Abs Jour : Ref Zhur - Khimiya, No 9, 1957, 30371

Author : Gavrusevich, B.O., Latish, V.T.

Inst : Kiev University

Title : Coloration of Granites of the Tokovskiy Massif

Orig Pub : Nauk. zap. Kiivs'k. un-t, 1956, 15, No 2, 109-114

Abst : It was found that grey and red coloration of granites is a primary one and is caused by dispersed admixtures of magnetite (and ilmenite?), hematite, and by other coloring admixtures: Ti, Mn, V, Cu, Zr and other. On weathering, the hematite is changed to hydroxides of Fe and is then leached out, causing the brown, yellow, greyish-yellow and greyish-white range of colors. Thus the process of Fe migration proceeds according to the scheme: $\text{Fe}_2\text{O}_4 \rightarrow \text{Fe}_2\text{O}_3 \rightarrow \text{Fe}_2\text{O}_3 \cdot n\text{H}_2\text{O} \rightarrow \text{removal}$.

Card 1/2

USSR/Cosmochemistry. Geochemistry. Hydrochemistry.

D.

Abs Jour : Ref Zhur - Khimiya, No 9, 1957, 30371

High degree of hematization is due, apparently, to auto-metasomatic processes. There are presented 16 chemical and 20 spectral analyses of granites of different coloration and also the chemical analysis of red feldspar.

Card 2/2

Translation from: Referativnyy zhurnal, Geologiya, 1957, Nr 3,
p 1, (USSR) 15-1957-3-2557

AUTHOR: Gavrusevich, B. O.

TITLE: Agricola (Georg Bauer), Outstanding German Scientist of
the Sixteenth Century (On the 400th Anniversary of his
Death) [Vydayushchiysya nemetskiy uchenyy XVI v. Agri-
kola (Georg Bauer) (K 400-letiyu so dnya smerti)]

PERIODICAL: Nauk. zap. Kyyiv'sk. un-t, 1956, Vol 15, Nr 2, pp 177-
180

ABSTRACT: Bibliographical entry

Card 1/1

AGAFONOVA, T.N.; GAVRUSEVICH, B.A.; ZHOVINSKIY, E.Ya.; OVCHAROVA, E.G.

Morphology of gabbro ilmenites and primary kaolins in
Volhynia. Min.shor. no.11:42-44 '57. (MIRA 13:2)

1. Gosuniversitet im. T.G.Shevchenko, Kiyev.
(Volkhynia--Ilmenite) (Volhynia--Kaolin)

GAVRUSEVICH, B.A.

Mineralogy ofmiarolitic cavities in the Korosten' pluton.
Min.sbor. no.11:95-101 '57. (MIRA 13:2)

1. Gosuniversitet imeni T.G.Shevchenko, Kiyev.
(Korosten' District--Mineralogy)

GAVRUSEVICH, B.A.; BAZHENOVA, L.N.; AGAFONOVA, T.N.

Finds of phenacites in Volhynian pegmatites. Min.sbor. no.11:
346-347 '57. (MIRA 13:2)

1. Gosuniversitet imeni T.G.Shevchenko i Politeknicheskii
institut, Kiev.
(Volhynia--Phenacite) (Volhynia--Pegmatites)

GAVRUSEVICH, B.O. [Havrusevych, B.O.]

Chemical composition of certain scheelites from the Gumbeyka deposit in the Urals. Nauk.zap.Kyiv.un. 16 no.14:189-191 '57.

(MIRA 13:4)

(Gumbeyka region (Ural Mountains)--Scheelite)

GAVRUSEVICH, B.A. [Havrusovich, B.O.]

A.E.Fersman and mineralogical and geochemical investigations
in the Ukraine. Geol.zhur. 18 no.6:106-107 '58.

(MIRA 12:1)

(Fersman, Aleksandr Evgen'evich, 1883-1945)

GAVRUSEVICH, B.A.

"Course on mineralogy. Part 3. Mineralogy of rocks and mineral deposits" by IE.K. Lazarenko. Reviewed by B.A. Gavrushevich.
Min. sbor. no.15:402-404 '61. (MIRA 15:6)

1. Gosudarstvennyy universitet imeni T.G. Shevchenko, Kiyev.
(Mineralogy)
(Lazarenko, IE.K.)

PLATONOV, A.N., inzh., otv. red.; POVARENYYKH, A.S., doktor ologo-
min. nauk, prof., glav. red.; AGAFONOVA, T.N., kand. geol-
min. nauk, dots., red.; BELEVTSSEV, Ya.N., prof., red.;
GAVRUSEVICH, B.A., kand. geol.-min.nauk, dots., red.;
GLADKIY, B.N., inzh., red.; IVANTISHIN, M.N., doktor geol.-
miner. nauk, red.; KHATUNTSEVA, A.Ya., kand. geol.-miner.
nauk, red.; ZAVIRYUKHINA, V.N., red.; DAKHNO, Yu.M., tekhn.
red.

[Annals of the Ukrainian Branch of the All-Union Mineralogical
Society] Zapiski Ukrainiskogo otdeleniia Vsesoiuznogo mineralo-
gicheskogo obshchestva. Kiev, Izd-vo AN USSR, 1962. 184 p.
(MIRA 17:3)

1. Akademiya nauk URSR, Kiev. Ukrainskoye otdeleniye Vse-
soyuznogo mineralogicheskogo obshchestva. 2. Chlen-korrespon-
dent AN Ukr.SSR (for Belentsev).

POVARENNYKH, A.S., doktor geol.-miner. nauk, prof., otv. red.;
AGAFONOVA, T.N., kand. geol.-miner. nauk, dots., red.;
BELEVTSSEV, Ya.N., prof., red.; GAVRUSEVICH, B.A., kand.
geol.-miner. nauk, dots., red.; GLADKIY, V.N., inzh.,
red.; IVANTISHIN, M.N., doktor geol.-miner. nauk, red.;
PLATONOV, A.N., inzh., red.; KHATUNTSEVA, A.Ya., kand.
geol.-miner. nauk, red.; ZAVIRYUKHINA, V.N., red.izd-va;
TURBANOVA, I.A., tekhn. red.

[Theoretical and genetic problems of mineralogy and geo-
chemistry] Teoreticheskie i geneticheskie voprosy minera-
logii i geokhimii. Kiev, Izd-vo AN USSR, 1963. 165 p.
(MIRA 16:12)

1. Akademiya nauk URSR, Kiev. Ukrainskoye otdeleniye Vse-
soyuznogo mineralogicheskogo obshchestva. 2. Chlen-
korrespondent AN Ukr.SSR (for Belevtsev).
(Mineralogy) (Geochemistry)

POVARENNYKH, A.S., doktor geol.-miner. nauk, prof., otv. red.;
AGAFONOVA, T.N., kand. geol.-miner. nauk, dots., red.;
GAVRUSEVICH, B.A., kand. geol.-miner. nauk, dots., red.;
~~GLADKII, V.M., inzh., red.~~; IVANTISHIN, M.N., doktor
geol.-miner. nauk, red.; LOGVINENKO, N.V., doktor geol.-
miner. nauk, prof., red.; PLATONOV, A.N., inzh., red.;
KHATUNTSEVA, A.Ya., kand. geol.-miner. nauk, red.;
ZAVIRYUKHINA, V.N., red.

[Chemical composition and internal structure of minerals]
Khimicheskii sostav i vnutrennee stroenie mineralov. Kiev,
Naukova dumka, 1964. 216 p. (MIRA 18:1)

1. Vsesoyuznoye mineralogicheskoye obshchestvo. Ukrainskoye
otdeleniye.

POVARENENYKH, A.S., doktor geol.-miner. nauk, prof., otv. red.;
GAVRUSEVICH, B.A., kand. geol.-miner. nauk, dots., red.;
IVANTISHIN, M.N., doktor geol.-miner. nauk, red.; LAZARENKO,
Ye.K., prof., red.; LOGVINENKO, N.V., doktor geol.-miner.
nauk, prof., red.; MITSKEVICH, B.F., kand. geol.-miner. nauk
red.; PLATONOV, A.N., ml. nauchn. sotr., red.; SERDYUK, O.P.,
red.

[Morphology, properties, and genesis of minerals] Morfologiya,
svoistva i genezis mineralov. Kiev, Naukova dumka, 1965.
186 p. (MIRA 18:5)

1. Vsesoyuznoye mineralogicheskoye obshchestvo. Ukrainskoye
otdeleniye. 2. Chlen-korrespondent AN Ukr.SSR (for Lazarenko).

GAVRUSEVICH, B.O. [Havrusevych, B.O.], kand.geol.-mineral.nauk

F.M.Chernyshov, a geologist. Nauka i zhyttia 6 no.9:34-35
S '56. (MIRA 13:5)

(Chernyshov, Feodosii Nikolaevich, 1856-1914)

GAVRUSEVICH, B.O. [Havrussevykh, B.O.], kand.geol.-mineral.nauk;
AGAFONOVA, T.M., kand.geol.-mineral.nauk

Soviet diamonds. Nauka i zhyttia 10 no. 12:14-16 D '60. (MIRA 14:4)

(Diamonds)

GAVRUSEVICH, B.O. [Havrusevych, B.O.], kand.geol.-mineral.nauk

Ukrainian precious stones. Nauka i zhyttia 11 no.8:33-34 Ag '61.
(MIRA 14:12)

(Ukraine--Precious stones)

GAVRUSEVICH, I.B.

Trace elements of pegmatites and their enclosing rocks in
the western region of the Sea of Azov. Zap. Ukr. otd. Min.
ob-va [no.1]:152-157 '62. (MIRA 16:8)

1. Kiyevskiy gosudarstvennyy universitet.

GAVRUSEYKO, Nadeshda Pavlovna; ANDREYEVA, N.I., red.; ZHUK, V.N.,
tekhn. red.

[Independent work of students in chemistry classes of eight-year schools] Samostoiatel'naia rabota uchashchikhsia na urokakh khimii v vos'miletnei shkole; iz opyta raboty shkoly No.3, g.Minska. Gos.uchbovo-pedagog. izd-vo M-va prosv. BSSR, 1962. 85 p. (MIRA 16:5)
(Chemistry--Study and teaching)

QAVRUSSEYKO, O.M.; FILATOVA, V.S. (Gor'kiy)

Evaluation of hygienic aspects of some types of drying apparatus
used in the chemical industry. Gig.truda i prof.zab. 3 no.1:
32-39 Ja-P '59. (MIRA 12:2)

1. Institut gigiyeny truda i profzabolevaniy.
(DRYING APPARATUS)

GAVRUTSKIY, A.Ye., inzh.

State of the linings of ore hoisting shafts in Krivoy Rog
Basin mines. Met. i gornorud. prom. no.4:38-41 J1-Ag '63.
(MIRA 16:11)
1. Nauchno-issledovatel'skiy gornorudnyy institut, Krivoy
Rog.

GAVRUTSKIY, A.Y.,

Deepening mine shafts in the Krivoy Rog Basin. Met. i gornerud. prom.
no.6:41-44 N-D '63. (MIRA 18:1)

GAVRUTSKIY, A.B., inzh.; BUDYACHENKO, V.M., inzh.

Introduce short-delay electric blasting in deepening mine shafts.
Bezop.truda v prom. 4 no.4:7-10 Ap '60. (MIRA 13:9)

1. Krivorozhskiy nauchno-issledovatel'skiy gornorudnyy institut.
(Krivoy Rog Basin--Blasting)

RYNG, V.M., inzh.; SHPORT, N.S., inzh.; GAVRUTSKIY, A.Ye.; MUSHINSKIY, G.N.

Folding metal sheathing in Krivoy Rog Basin mines. Shakht.stroi.
4 no.2:15-19 P '60. (MIRA 13:5)

1. Rudoupravleniye imeni Dzerzhinskogo Nauchno-issledovatel'skogo
geolog-rasvedochnogo instituta, g.Krivoy Rog.
(Krivoy Rog--Iron mines and mining)
(Shaft sinking)

GAVRUTSKIY, A.Ye.; MUSHINSKIY, G.N.; SHPORT, N.S.

Using metallic folding formwork in shaft sinking. Sbor. nauch.
trud. NIGRI no.7:11-14 '60. (MIRA 14:12)

(Shaft sinking)
(Concrete construction--~~Formwork~~)

GAVRUTSKIY, A.Ye.; MORENKOV, F.L.

Foreign practice of using a mobile cage in shaft sinking.
Sbor. nauch. trud. NIGRI no.7:15-19 '60. (MIRA 14:12)
(Shaft sinking)

CAVRUTSKIY, A.Ye., inzh.

Control of rock bumps in constructing shafts. Shakht.stroi. 6
no.4:30-31 Ap '62. (MIRA 15:4)
(Canada--Mine timbering) (Rock pressure)

GAVRUTSKIY, A. Ye., inzh.

Instruments for measuring the amount of dynamic pressure on
shaft linings. Shakht. stroi. 7 no.11:28-29 N°63 (MIRA 17:7)

1. 1. 1.

MAKHA, N. I.: "Investigation of the process of control of the
level on the basis of gas with a liquid level indicator." The
Fisher's Gas Engineering School. Leningrad, 1956. (Dissertation for the Degree of
Candidate in Technical Science)

Co: Sainkova L. I. No 10, 1956. Moscow

GAVRYA, N.A.

Effect of inert gases on the synthesis of ammonia. Zhur.prikl.khim.
30 no.12:1741-1746 D '57. (MIRA 11:1)

1.Khar'kovskiy politekhnicheskii institut imeni V.I. Lenina.
(Methane) (Argon) (Ammonia)

AUTHORS: Atroshchenko, V.I. and Gavrya, N.A. SOV/80-59-1-16/44

TITLE: On the Rate of Dissolving Methane and Nitrogen-Hydrogen Mixture in Condensing Ammonia (O skorosti rastvoreniya metana i azoto-vodorodnoy smesi v kondensiruyushchemsya ammiake)

PERIODICAL: Zhurnal prikladnoy khimii, 1959, Nr 1, pp 99-104 (USSR)

ABSTRACT: The authors studied the rate of methane and nitrogen-hydrogen dissolving in the condensing ammonia under conditions similar to those in industry: i.e., at a pressure of 300 atm, at a temperature of ammonia condensation from 10 to 30°C, and at volume velocities from 30,000 to 60,000 m³/m² of the catalyzer per hour. This study was a part of an investigation conducted by N.A. Gavrya during the preparation of his thesis. The study was carried out on a large-scale laboratory installation for ammonia synthesis operating on the circulation process. It was established by the study of methane dissolution during the process of ammonia condensation and separation, that the amount of methane being dissolved in the liquid ammonia increases in proportion to its partial pressure in the circulation mixture. The coefficients of proportionality were calculated. Furthermore, it was established that the volume velocity does not affect the amount of methane and nitrogen-hydrogen mixture being dissolved in the condensing ammonia. The time of contact of the gas with the liquid ammonia during the process

Card 1/2

SOV/80-99-1-16/44

On the Rate of Dissolving Methane and Nitrogen-Hydrogen Mixture in Condensing Ammonia

of condensation and separation of the ammonia is sufficient for establishing an equilibrium state between the gaseous and liquid phases.

There are 3 graphs, 1 diagram, 1 table and 5 references, 3 of which are Soviet, 3 American and 1 English.

ASSOCIATION: Khar'kovskiy politekhnicheskii institut imeni V.I. Lenina
(Khar'kov Polytechnical Institute imeni V.I. Lenin)

SUBMITTED: June 10, 1957

Card 2/2

ATROSHCHENKO, V.I.; SHCHEDRINSKAYA, Z.M.; GAVRYA, N.A.; Principali uchastiya:
AYRAPETIAN, M.T.; ABDULAYEVA, G.A.; TIMOKHINA, M.S.; KOD', A.A.

Catalysts for oxidation processes of natural gas to form
formaldehyde and methanol. Zhur.prikl.khim. 38 no.3:643-
649 Mr '65. (MIRA 18:11)

1. Submitted Febr. 27, 1963.

GAVRYLISHIN, V.I. [Havrylyshyn, V.I.]

Distribution of taxodont Lamellibranchiata in the Senonian
of the Galician-Volyn' trough. Nauk. zap. Nauk.-pryrod.
muz. AN URSR 10:16-21 '62. (MIRA 16:8)

PASTERNAK, S.I.; GAVRYLISHIN, V.I. [Havrylyshyn, V.I.]

Middle Albian of the Volyn'-Podolian plateau. Dop. AN UKSR
no.7:957-958 '64. (MIRA 17:9)

1. Institut geologii i geokhimii goryuchikh iskopayemykh AN UkrSSR.
Predstavleno akademikom AN UkrSSR O.S.Vyalovym.

ACCESSION NR: AP4009358

S/0078/64/009/001/0224/0224

AUTHOR: Semenov, G. A.; Gavryuchenkov, F. G.

TITLE: Mass-spectra of vapors in the $\text{ErCl}_3\text{-KCl}$ system

SOURCE: Zhurnal neorganicheskoy khimii, v. 9, no. 1, 1964, 224

TOPIC TAGS: ErCl_3 sub 3 KCl system, vapor, erbium chloride ion, erbium dichloride ion, potassium erbium dichloride ion, potassium erbium trichloride ion, potassium erbium tetrachloride

ABSTRACT: The mass spectra of the vapors over a melt containing a 1:1 ratio of $\text{ErCl}_3\text{:KCl}$ examined at 655C at two energies show a significant concentration of complex molecules, especially KErCl_3^+ . The relative concentrations of the ions at 16 and 30 ev are:

Card 1/2

ACCESSION NR: AP4009358

	ION RELATIVE CONCENTRATION	
	16 ev	30 ev
K ⁺	not determined	59
KCl ⁺	"	0.76
Er ⁺	< 0.002	0.63
ErCl ⁺	< 0.002	0.56
ErCl ₂ ⁺	0.21	1.9
KErCl ₂ ⁺	0.07	0.16
KErCl ₃ ⁺	1	1

Orig. art. has: 1 table

ASSOCIATION: Leningradskiy gosudarstvennyy universitet. (Leningrad State University)

SUBMITTED: 01Jun63
SUB CODE: 0P

DATE ACQ: 07Feb64
NO REF SOV: 002

ENCL: 00
OTHER: 002

Card 2/2

NOVIKOV, G.I.; GAVRYUCHENKOV, F.G.

Pressure of saturated vapors of the chlorides of Ca, Sr, Ba.
Zhur. neorg. khim. 9 no.2:475-476 F'64. (MIRA 17:2)

L-61083-65 EPF(c)/EPF(n)-2/EPA(s)-2/ENP(j)/ENT(m)/ENP(b)/T/ENP(t) Po-L/Pr-L/Pt-7/
Fu-L IJP(c) RM/WW/JD/JG

ACCESSION NR: AP5018250

UR/0078/65/010/007/1668/1674
546,666'131 + 32'131


AUTHOR: Novikov, G. I.; Gavryuchenkov, P. G.

TITLE: Complex formation in the vapor phase of the system erbium trichloride - potassium chloride

SOURCE: Zhurnal neorganicheskoy khimii, v. 10, no. 7, 1965, 1668-1674

TOPIC TAGS: erbium compound, erbium chloride, potassium chloride, potassium compound, complex formation, rare earth

ABSTRACT: Data were obtained on the volatility and stability in the vapor phase of the complex KErCl_4 in the $\text{KCl} - \text{ErCl}_3$ system at 800-1200C. From the experimental data on the saturated vapor pressure as a function of temperature, the thermodynamic characteristics of the equilibrium




and of the hypothetical sublimation process

Card 1/2

L 61083-65

ACCESSION NR: AP5018250



were calculated. The existence of the compound KErCl_4 in the vapor phase is indicated by the fact that a maximum appears on the curve representing the partial pressures of ErCl_3 and KCl versus the composition of the melt (the other pure substances present in the vapor are ErCl_3 , KCl , and K_2Cl_2). On the basis of certain data obtained and also literature data, it is concluded that the formation of stable complex compounds takes place in $\text{KCl} - \text{LnCl}_3$ systems (which include the entire rare earth family, Ln being a lanthanide). The compound KLnCl_4 , which does not exist in the crystalline state, vaporizes from the melts, and its content in the vapor increases in the La - Lu series. Orig. art. has: 5 figures, 4 tables, and 19 formulas.

ASSOCIATION: none

SUBMITTED: 18Apr63

ENCL: 00

SUB CODE: IC

NO REF SOV: 007

OTHER: 010

Card

RC
2/2

NOVIKOV, G.I.; GAVRYUCHENKOV, F.G.

Pressure and composition of saturated vapor in the
NaCl - KCl₃ system. Zhur.neorg.khim. 10 no.12:
2706-2711 D '65.

(MIRA 19:1)

L 8874-66 EWP(j)/EWA(c)/EWT(m)/T RM

ACC NR: AP5025957 SOURCE CODE: UR/0190/65/007/010/1693/1697

AUTHOR: ^{44,53}Ivanov, S. S.; ^{44,53}Gavryuchenkov, L. P.; ^{44,53}Koton, M. M. ⁵⁰

ORG: ^{44,53}Institute of Macromolecular Compounds, AN SSSR (Institut vysokomolekulyarnykh soedineniy AN SSSR) ⁴⁹

TITLE: Synthesis of poly-alpha-alkylglycyldehydroalanines? Report No. 1.

SOURCE: Vysokomolekulyarnyye soedineniya, v. 7, no. 10, 1965, 1693-1697

TOPIC TAGS: alanine, polymer, polymerization, biochemistry 7

ABSTRACT: The synthesis of carbon chain polymers with peptide and carboxyl groups in the side chains is of interest in the study of biologically active compounds. Poly-alpha-alkylglycyldehydroalanines were synthesized by reacting alpha-chloroacetyldehydroalanine with amines which leads to substitution of the halogen by the amine residue and simultaneous polymerization. The polymerization mechanism is to be discussed elsewhere. The following compounds, unknown in the literature, were synthesized and characterized by elemental analysis and IR spectra: poly-alpha-alkylglycyldehydroalanine, where the term

Card 1/2

UDC: 678.675

L 8874-66

ACC NR: AP5025957

"alkyl" included the methyl, ethyl, n-butyl, n-hexyl, dibutyl, n-ethanol, aminoethyl, phenyl, and amino radicals. A study of the thermal decomposition kinetics showed that most of these compounds start to decompose at 150°C. Orig. art. has: 2 figures, 2 tables and 2 equations.

SUB CODE: OC/ SUBM DATE: 03Nov64/ ORIG REF: 003/ OTH REF: 004

Card 2/2 *nds*

L 22749-66 EWT(m)/EWP(j)/T RM
ACC NR: AP6010110 (A) SOURCE CODE: UR/0190/66/008/003/0470/0475 60
B 58

AUTHORS: Ivanov, S. S.; Gavryuchenkova, L. P.; Koton, M. M.

ORG: Institute of Chemistry of High-Molecular Compounds, AN SSSR
(Institut vysokomolekulyanykh soyedineniy AN SSSR)

TITLE: Synthesis of polychelates based on poly- α -acetyldehydroalanine

SOURCE: Vysokomolekulyarnyye soyedineniya, v. 8, no. 3, 1966, 470-475

TOPIC TAGS: polyamide, alanine, chelate compound, polymer, chain
polymer, ion interaction, glycine, nickel, cobalt, iron, zinc, copper,
heat resistance

ABSTRACT: Certain properties of polychelates are described. Poly- α -acetyldehydroalanine and poly- α -chloroacetyldehydroalanine are the carbochain analogs of α -alanine. They were used as chelate ligands. By interaction with the ions of bivalent metal ions of Cu, Co, Ni, Fe, and Zn, the polychelates having side five-membered chelate rings of structure analogous to glycine complexes were prepared. The thermodegradation analysis shows that the heat resistance of polychelates is higher than that of initial polymers and that it depends on both the nature of the metal and the chelating ligand. The authors thank

Card 1/2

UDC: 541.64

L 22749-66

ACC NR: AP6010110

Ye. I. Pokrovskiy for taking the infrared spectrum and L. A. Volkova
for taking roentgenograms. Orig. art. has: 3 figures and 2 tables. [NT]
[Based on author's abstract]

SUB CODE: 07, 11/

SUBM DATE: 02Apr65/
OTH REF: 004/

ORIG REF: 005/

Card 2/2 *uR*

POCHITALIN, T.; GAVRYUK, I.; ZAL'TSBERG, Ya.; BARANYUK, Yu.

News from schools. Prof.-tekh. obr. 17 no. 11:32, 3 of cover
N '60. (MIRA 13:12)
(Education, Cooperative) (Student activities)

GAVRYUK, I., inzh.

Deserved respect. Okhr. truda i sots. strakh. 5 no.8:26-27 Ag '62.
(MIRA 15:7)

1. Sudostroitel'nyy zavod imeni Nosenko, g. Nikolayev.
(~~Nikolayev~~—Shipbuilding—Hygienic aspects)

GAVRYUK, I.F.

GAVRYUK, I.F.

In the best shop of the plant. Izobr.v SSSR 2 no.11:52 N '57.

(MIRA 10:10)

(Nikolaev (Nikolaev Province)--Ship building)

GAVERYUK, I.F., inzh.

Regional exhibition in Nikolayev. Sudostroenie 24 no.2:74 F '58.
(Nikolayev--Exhibitions) (MIRA 11:3)

GAVRYUK, I.P., inzh.

Using cermet cutters. Sudostroenie 24 no. 6:60 Je '58. (MIRA 11:8)
(Metal-cutting tools)
(Cermets)

GAMOV, A.; GAVRYUK, M.

Direction finding by sector radio beacons with the help of "TVA-52"
tables. Mor. flot 16 no.7:18-19 J1 '56. (MIRA 9:11)

1, LVIMU.

(Radio direction finders) (Navigation--Tables)

GAVRYUK, M., starshiy prepodavatel'

Some recommendations on the processing of radio bearings.

Mor.flot 19 no.11:38 N '59. (MIRA 13:3)

1. Kafedra sudovozhdeniya Leningradskogo vysshego inzhenerno-
morskogo uchilishcha im.admirala Makarova.
(Radio in navigation)

GAVRYUK, M., kand.tekhn.nauk; KORNEYEV, V., inzh.

Course line laying instruments. Mor.flot 22 no.1:17-19 Ja
'62. (MIRA 15:1)

1. Nachal'nik sudovoditel'skogo fakul'teta Leningradskogo
vysshego inzhenerenogo morskogo uchilishcha im. admirala
Makarova (for Gavryuk). 2. Tsentral'noye proyektno-konstruktor-
skoye byuro No.1 Ministerstva morskogo flota (for Korneyev).
(Rulers (Instruments))

GAVRYUK, M.I., Cand Tech Sci -- (diss) "Determining the position of a ship by radio bearings over large distances (Processing problems)." Len, 1952, 17 pp with drawings (Min of ~~Maritime~~ ^{Maritime} Fleet USSR. Len Higher Engineering ~~Academy~~ ^{Academy} in Academician S.O. Makarov) 150 copies (KL, 35-59, 113)

GAVRYUK, M.I., kand.tekhn.nauk

Examples for the solution of two radionavigation problems.
Sudovozhdenie no.2:107-110 '62. (MIRA 17:4)

1. Kafedra sudovozhdeniya Leningradskogo vysshego inzhenernogo
morskogo uchilishcha im. admirala Makarova.

GAVRYUK, M.I., dotsent, kand. tekhn. nauk

About the manual "Sailing directions". Sudovozhdenie no.4:
98-99 '64. (MIRA 18:3)

1. Kafedra sudovozhdeniya Leningradskogo vysshego inzhenernogo
morskogo uchilishcha imeni admirala Makarova.

AUTHORS: Puchkov, N.G., Borovaya, M.S., Belyanchikov, G.P. and Gavryukhin, V.M. (V.N.I.I. NP)

TITLE: Wearability of an additive in oil during its work in an engine. (Srabatyvayemost' prisadki pri rabote masla v dvigatele).

PERIODICAL: "Khimiya i Tekhnologiya Topлива i Masel" (Chemistry and Technology of Fuels and Lubricants), 1957, No.2, pp.49-56 (U.S.S.R.)

ABSTRACT: The problem of the required level of concentration of additives in oils at which the wear of an engine operating with high sulphur fuel will not exceed the wear obtained with a low sulphur fuel and the limits of the possibilities of additives in suppressing corrosion wear were investigated. As a first step a method of determining the rate of consumption of an additive in oil was required. This was developed on the basis of determining the content of barium chemically bound in an additive and that split off from the additive and combined with products formed on combustion of fuel and oxidation of the oil (barium in octane and benzene soluble and in the residue insoluble in these two solvents). The efficiency of an additive at various levels of sulphur in the fuel was studied using an alkylphenol compound TsiATIM-339. It was shown that the additive is being consumed during operation of an engine (YAZ-204) and that the metallic component of the

* INITIALS Should
be V. M.
from MLRA Read

Wearability of an additive in oil during its work in an engine. (Cont.) ⁵⁴⁷

additive is transformed into insoluble compounds which are partially filtered off with the products of the oxidation of the oil. The rate of consumption increases with increasing sulphur content of fuel. 5-10% additions of the above additive decrease the engine wear but the degree of wear obtained with low sulphur fuel cannot be attained. An increase in the concentration of the additive decreases corrosion wear but simultaneously increases the wear by abrasion. Maximum useful concentration of the additive for operation with fuels containing below 1% sulphur should not exceed 3% and for fuels containing up to 1.3% of sulphur - 5%. The wear of engine was measured by the method developed by IMASH A.N. SSSR and weighing of compression rings. Experimental results are given in graph and tables. 7 tables and 5 figures, no references.

Card 2/2

GAVRYUKHIN, V.M.; REZNIKOV, V.D., inzh.

Using the method of cutting out holes for determining the
mechanical wear of cylinders used in operational testing of
fuels and oils. Vest.mash. 37 no.12:63-65 D '57. (MIRA 10:12)
(Mechanical wear) (Fuel--Testing)
(Lubrication and lubricants--Testing)

1. GAVRYUKHINA, A. A.
2. USSR (600)
4. Water, Underground - Kuznetsk Basin
7. Regularity of the chemical composition of the underground waters of the Yerumakovskii series south of the Kuznetsk Basin. Trudy Lab.gidrogeol.probl.¹⁰, 1951
9. Monthly List of Russian Accessions, Library of Congress, March 1953, Unclassified.

1. GAVRYUKHINA, A. A.
2. USSR (600)
4. Water, Underground - Kuznetsk Basin
7. Formation of underground waters of the Kondoma-Tom' interfluve south of the Kuznetsk Basin. Trudy Lab.gidrogeol.probl.101951
9. Monthly List of Russian Accessions, Library of Congress, March 1953, Unclassified.

GAVRYUKHINA, A.A.

Result of using alternate time data in characterizing the development
of cones of depression in underground waters. Trudy Lab.gidregeol.probl.
12:106-113 '55. (MLRA 9:6)
(Water, Underground)

GAVRYUKHINA, A. A.

124-11-12934

Translation from: Referativnyy Zhurnal, Mekhanika, 1957, Nr 11, p 94 (USSR)

AUTHOR: Gavryukhina, A. A.

TITLE: A Test of the Utilization of Non-Synoptic Data for the Characteristics of the Development of Depression Hollows in Subterranean Waters.
(Opyt ispol'zovaniya raznovremennykh dannykh dlya kharakteristiki razvitiya depressionnykh voronok v podzemnykh vodakh)

PERIODICAL: Tr. labor. gidrogeol. problem^AN SSSR, 1955, Vol 12, pp 106-113

ABSTRACT: Investigation of an example of the dynamics of the development of depression hollows formed during prolonged exploitation of the water table under observation. The patterns of hydroisopiezo-lines are established from measurements at various levels ten years apart, which enable one to estimate the average annual decay of the piezo-metric levels for an entire area as well as for specific sectors.

A. R. Shkirich

Card 1/1

GAVRYUKHINA, Anna Andreyevna; BOGOMOLOV, G.V., doktor geol.-miner.nauk, otv.
red.; RODIONOV, N.V., red.izd-va; GUSEVA, I.N., tekhn.red.

[Waters in Carboniferous deposits of Moscow and their present state]
Vody kamennougol'nykh otlozhenii Moskvy i ikh sovremennoe sostoianie.
Moskva, Izd-vo Akad.nauk SSSR, 1959. 91 p. (Akademiia nauk SSSR. La-
boratoriia gidrogeologicheskikh problem. Trudy, vol. 24).

(MIRA 12:11)

(Moscow--Water, Underground)

GAVRYUKHINA, A.A.

Specific features of the regime of underground waters of
Tarusa and Oka deposits in the Serpukhov region. Trudy Lab.
gidrogeol. probl. 36:35-40 '61. (MIRA 14:11)
(Serpukhov region—Water, Underground)

GAVRYUKHINA, A.A.

Perennial conditions of hydrodynamic water pressures in the Middle
and Lower Carboniferous of Moscow. Trudy Lab.gidrogeol.probl.
40:131-138 '62. (MIRA 15:11)
(Moscow--Water, Underground)

GAVRYUKHINA, A.A.; AFANAS'YEV, T.P., doktor geol.-min. nauk, otv.
red.

[Formation of underground waters under the effect of artificial discharge as revealed by a study made in Moscow] Formirovaniye podzemnykh vod pod vliyaniem iskusstvennoi razgruzki. (na pri-mere Moskvy). Moskva, Izd-vo "Nauka," 1964. 130 p.
(MIRA 17:5)

GAVRIKHINA, L.A.

Underground waters of the Carboniferous sediments of Moscow and
the variation of their condition under the effect of their
utilization over a period of many years. Nauch.trudy AKEH no.27:
71-85 '64. (MIRA 18:5)

LUK'YANOVA, N.I., dotsent; GAVRYUSHENKO, L.A. (Khar'kov)

Clinical biochemical characteristics of interparoxysmal
periods in rheumatic fever. Vrach. delo no.6:122-123 Je'63.
(MIRA 16:9)

1. Kafedra terapii No.2(zav. - dotsent T.V.Boguslavskaya)
Ukrainskogo instituta usovershenstvovaniya vrachey i 32-ya
bol'nitsa, Khar'kov.

(RHEUMATIC FEVER)

RUDEMKO, A.I.; GAVRYUSHENKO, L.V.

Method of forecasting potato late blight. Zashch. rast. ot
vred. i bol. 3 no.5:38-39 S-0 '58. (MIRA 11:10)

1. Starshiy nauchnyy sotrudnik Vsesoyuznogo instituta rasteniyevod-
stva (for Gavryushenko).
(Potatoes—Diseases and pests)